

Excess mortality indicators in OECD regions

Document updated on 2021-10-14

Sources

Country or region	Frequency	Geography	Source
Australia	Weekly	TL1, TL2	Australian Bureau of Statistics 3303.0.55.004 - Provisional Mortality Statistics
Canada	Weekly	TL1, TL2	Statistics Canada Table 13-10-0768-01
Chile	Daily	TL2, TL3	Ministerio de Ciencia, Tecnología, Conocimiento e Innovación <u>Data product #32</u>
Colombia	Weekly	TL1, TL2	DANE Informe de seguimiento - Defunciones por COVID-19
Germany	Monthly	TL1, TL2	DESTATIS Sterbefälle - Fallzahlen nach Tagen, Wochen, Monaten, Altersgruppen und Bundesländern für Deutschland 2016 - 2020
EU27	Weekly	TL1, TL2, TL3	Eurostat Table demo_r_mweek3
Israel	Daily	TL2	Central Bureau of Statistics Deaths of Israeli Residents By Day of Death, District and Population Group, 2020
Korea	Monthly	TL1, TL3	KOSIS Vital statistics
Japan	Monthly	TL1, TL3	e-Stat Portal Site of Official Statistics of Japan 月報 and <u>速報</u>
Mexico	Daily	TL1, TL2, TL3	Secretaría de Salud Bases de datos del boletín estadístico sobre el exceso de mortalidad en México
			INEGI <u>Defunciones registradas (Microdatos)</u>
New Zealand	Quarterly	TL1, TL2	Stats NZ Table VSD016AA

Country or region	Frequency	Geography	Source
United States	Weekly	TL1, TL2	Centers for Disease Control and Prevention Weekly Counts of Deaths by State and Select Causes, 2014-2019 Weekly Provisional Counts of Deaths by State and Select Causes, 2020- 2021
United Kingdom	Monthly	TL2	ONS Deaths registered monthly in England and Wales National Records of Scotland Table 4 Deaths in Scotland by month of registration and council area, 1996 to 2021 NISRA Monthly Deaths

Notes

When unavailable, monthly death counts are aggregated from weekly or monthly death counts. In the case of New Zealand, monthly death counts correspond to the quarterly death counts divided by three.

Australia

Doctor-certified deaths, on the date in which the death occurred, by place of death.

Canada

The geographic distribution of deaths is based on the place of death. Limited to residents of Canada. The data for the 2018 to 2020 reference years are provisional.

Chile

Mortality data is treated and collected by the Ministerio de Ciencia, Tecnología, Conocimiento e Innovación based on deaths reported to the National Registry office. These are provisional and have not been verified by the National Statistics Office.

The geographic distribution of deaths is based on the place of death. The date of death corresponds to the date the death was reported to the registry's office.

Aggregation to the TL3, TL2 and TL1 level is based on death counts reported at the *comuna* level.

Germany

Death counts are reported by place of residence. Data from January 1, 2020 are provisional and based on the raw number of deaths reported by registry offices.

Mexico

Monthly death counts were aggregated from individual-level data. Counts at the TL1 level

correspond to the sum of deaths across 32 TL2 regions. Death counts are reported by place of occurrence, at the date of death.

New Zealand

Deaths data are based on deaths registered in New Zealand to people resident in New Zealand by date of registration.

United States

Deaths counts are reported by place of occurrence.

United Kingdom

Information for the United Kingdom comes from three different statistical agencies: ONS, National Records of Scotland and NISRA. The numbers reported at the TL1 level are an aggregate of the three sources.

England and Wales

Deaths registered by area of usual residence.

Scotland

Vital events information is based on the date of registration, not the date on which the event occurred.

Northern Ireland

Provisional death statistics are based on death registration information collected by the General Register Office.